

Message

From: Hoogerheide, Roger [Hoogerheide.Roger@epa.gov]
Sent: 7/6/2016 2:15:36 PM
To: Cirian, Mike [Cirian.Mike@epa.gov]
Subject: FW: Field Modification No. 4

K. I'm in Billings through today at Lockwood but will be back in the office tomorrow. I had blocked tomorrow off just in case I needed to go up to CFAC for resampling of property owner's well. Haven't heard anything from Steve so plan to be in office Thurs & Fri.

Is it OK to send Mike Lisa and my comments on the SAP? Don't want Roux to get too far along with the revision and get more comments.

From: Cirian, Mike
Sent: Tuesday, July 05, 2016 5:42 PM
To: Hoogerheide, Roger <Hoogerheide.Roger@epa.gov>
Subject: Fwd: Field Modification No. 4

Hey Roger. I forwarded this to DEQ. I'm on leave this week but I am in Helena at the MT State Trap Shoot. Feel free to call my cell and I'll pick up if I can or I'll call you back.

Mike

Sent from my iPhone

Begin forwarded message:

From: Michael Ritorto <mrirtorto@rouxinc.com>
Date: July 5, 2016 at 9:45:22 AM MDT
To: Andrew Baris <abaris@rouxinc.com>, "Cirian, Mike (Cirian.Mike@epa.gov)" <Cirian.Mike@epa.gov>, "Hoogerheide, Roger" <Hoogerheide.Roger@epa.gov>
Cc: "John.Stroiazso@glencore-ca.com" <John.Stroiazso@glencore-ca.com>, "Steve Wright - CFAC" <swright@cfaluminum.com>, "Repine, Damon" <RepineDL@cdmsmith.com>, "Welch, August" <WelchA@cdmsmith.com>
Subject: Field Modification No. 4

Mike:

Attached is the field modification form documenting the revised ISM approach as discussed.

If you concur, please return a copy with your e-signature. Please let us know if you have any questions.

Regards,

Michael Ritorto
Senior Hydrogeologist | ROUX ASSOCIATES, INC.
209 Shafter Street | Islandia, New York 11749
Direct: (631)630-2370 | Mobile: (631)445-4576
Email: mrirtorto@rouxinc.com | Website: www.rouxinc.com

We solve our clients' most challenging environmental problems.

Follow us on: <image005.jpg> <image006.jpg> <image007.jpg> <image008.jpg> Check out our blog:
<image009.jpg>

<SAP-Record of Modification No 4.docx>